TECHNICAL SPECIFICATION

| NFL N | NFL Nangal Case Ref. No. | | | | | | | | |
|---|---|------------------|--|--|------------------|------------------|------------------|--|--|
| Quotation No. & Date | | | | | | | | | |
| Name of Bidder: | | | | | | | | | |
| Vendor's Complete Address : | | | | | | | | | |
| Vendor's Contact Details: Vendor may furnish E-Mail Id, Telephone / Mobile No. | | | | | | | | | |
| etc. alongwith complete Name & Address details of the firm for Clarifications / | | | | | | | | | |
| | Placement of Order. | | | | | | | | |
| Sr. | NFL Requirement | | | | | | Vendors | | |
| No. | Constitution of Advanced HOME | | | | Comment | | | | |
| 1 | <mark>Sr. No.</mark> | Material Code | | Description of Material | <mark>UOM</mark> | Qty. Required | (Agreed / If not | | |
| | | Code | | | | Nequireu | Agreed, Please | | |
| | | | | | | | Comment) | | |
| | i. | 4303655 | | ACTURING, TESTING & SUPPLY OF | NO | 960.000 | | | |
| | | | | R TAIL GAS HEAT EXCHANGER 73-43 | | | | | |
| | | | _ | SS STAINLESS STEEL COLD DRAWN | | | | | |
| | | | | N ANNEALED, PICKLED, PASSIVATED OC: ASTM SA213 TP 321, ASME SEC.II | | | | | |
| | | | | 001 (INCLUDING ADD.2003) SIZE: 24.0 | | | | | |
| | | | | OD X 2.0 MM THK X 5600MM | | | | | |
| | | | | (+2.0/+4.0MM) LONG. | | | | | |
| | | NOTE-I | TUBE LENG | TH MUST BE BETWEEN 5602 MM TO | 5604M | IM ONLY | | | |
| | TUBE SHALL BE MANUFACTURED UNDER THIRD PARTY INSPECTION OF M/S LRA/TUV/BV/PDIL/EIL. | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | - | NOTE: II | THE SCO | PE OF THIRD PARTY SHALL BE:- | | | | | |
| | NOTE III | | | (I) IDENTIFICATION OF MILL TEST CERTIFICATE | | | | | |
| | | | (II) WITNESS OF CHEMICAL COMPOSITION TEST | | | | | | |
| | | | () | AND THE PHYSICAL PROPERTIES TEST AS PER RELVANT ASTM STANDARD | | | | | |
| | | | | | | | | | |
| | | | (111) | (III) REVIEW OF HEAT EXCHANGER CHART (IV) WITNESS OF MECHNICAL TEST AS PER ASTM STANDARD. (V) REVIEW OF MAQNUFACTUR'S RECORD FOR | | | | | |
| | | | . , | | | | | | |
| | | | (**/ | | | | | | |
| | | | (V) | | | | | | |
| | | | (-) | HYDRAAULIC TEST ON ALL THE TUBES AND | | | | | |
| | | | WITNESS HYDROSTATIC TEST AT 3.60 | | | | | | |
| | | | KG/CM2 OF 20% TUBE SELECTED AT | | | | | | |
| | | | RANDOM | | | | | | |
| | | | (VI) REVIEW OF CERTIFICATES OF EDDY CURRENT | | | | | | |
| | | | (**) | TEST OF ALL THE TUBES | | | | | |
| | | | (VII) | (VII) TO CARRY OUT VISUAL EXAMINATION AND | | | | | |
| | | | DIMENSIONAL CHECK | | | | | | |
| | | | PARTY SHALL PREPARE INSPECTION TEST PLAN (ITP) | | | | | | |
| | | | AND GET THE SAME APPROVED FROM NFL WITHIN 15 | | | | | | |
| | | | | OM THE DATE OF ISSUE OF PUR | | | | | |
| I | L | | | | | | | | |

ELIGIBILITY CRITERIA

| S. No. | Eligibility Criteria | Supporting Documents required |
|-----------|--|--|
| 1 | The bidder should have supplied similar item during the last seven years ending last day of previous month in which NIT has been issued. Similar item means: SS Tubes under TPI of M/s LRA/TUV/BVIS/ EIL/PDIL | The bidder shall submit copies of Purchase Orders/ Contracts for at least one of the followings: Three PO's/ contracts for supply of similar items each costing not less than Rs. 16.00 Lacs including taxes OR Two PO's/ contracts for supply of similar items each costing not less than Rs. 20.00 Lacs including taxes OR One PO/ Contract for supply of similar item costing not less than Rs. 32.00 Lacs including taxes. |
| 2 | Average Annual financial numover of the bidder during the last 3 years ending 31st March of the previous financial year should be at least Rs 12.00 lacs. | Bidder shall submit self-attested copies of Audited Balance Sheet and Profit &Loss A/c for the last three financial years ending on 31st March of the Previous financial year. (i.e., FY2020-21, 2021-22 & 2022-23) In case the bidder does not fall under the ambit of statutory audit, and do not have audited annual reports / audited Balance Sheets and Profit & Loss Statements, shall submit a |
| | - E | statement certified by Statutory Auditor / practicing Chartered Accountant (having UDIN) as documentary Evidence in support thereof. |